



EN

## Declaration of Conformity

Manufacturer:

**Altaterra Kft, Malom Köz 1, H-9431 Fertőd, Hungary**  
**Reg.#: HU. 08-09-013626**

Products:

CE marked roof windows intended to be used in domestic and commercial locations.

Essential performance characteristics:

	KPA BG00	KDV B700	KAV B700	KHV BG00
Thermal insulation	1.4 W/m <sup>2</sup> K	1.5 W/m <sup>2</sup> K	1.4 W/m <sup>2</sup> K	1.4 W/m <sup>2</sup> K
Resistance to wind load	Class C4	Class C4	Class C4	Class C4
Watertightness	E1500	E1200	E1350	E1500
Air permeability	Class 4*	Class 4*	Class 4*	Class 4*
Sound insulation	32 (-1,-5)dB	32 (-1,-5)dB	32 (-1,-5)dB	32 (-1,-5)dB
Lighttransmittance	0.8	0.79	0.79	0.8
Solar energy transmittance	0.61	0.6	0.6	0.61
Resistance to snow load	4/16/4	4/16/4	4/16/4	4/16/4

\*upto size S6A

The time and place of production of each individual product can be identified by the code, placed on the type sign of the roof window as illustrated below.




type:  
**KHV F6A BG00**  
 batch:  
**12BA03**  
 serial:  
**123456789**



EN 14351-1: 2006

[www.dakea.net/reg](http://www.dakea.net/reg)



type: Type, size, variant

batch: Time and place of production

The products are in conformity with EN 14351-1:2006 Windows and doors-Product standard, performance characteristic-Part1: Windows and external pedestrian door sets without resistance to fire and/or smoke leakage characteristics.

Initial type testing in accordance with EN14351-1:2006 have been carried out by:

ift Rosenheim GmbH Theodor Gietl Straße 7-9 D-83026 Rosenheim Germany	DELTA Erhvervsvej 2A DK-8653 Them Denmark
--	--

2012.04.10

Krisztián Mészáros  
COO